

Congenital Gastric Diverticulum of the Fundus

Sabbah M, Jlassi H, Bellil N, Trad D, Ouakaa A, Elloumi H, Bibani N and Gargouri D

Department of gastroenterology. Habib Thameur Hospital

Volume 2 Issue 4- 2020

Received Date: 11 Feb 2020

Accepted Date: 26 Feb 2020

Published Date: 03 Mar 2020

1. Case Report

A 52 years old women with no past medical history, presented for microcytic anemia due to iron deficiency. Upper endoscopy showed a wide-mouthed diverticulum of the size of 2×3 cm in the fundus of the stomach well observed in retro flexion (Figure 1). Timed barium oesophagram confirmed the presence of diverticulum of the fundus. No treatment was proposed as the diverticulum was asymptomatic.




Figure 1: Diverticulum of the fundus observed in retro flexion.




Figure 2: Timed barium oesophagram confirming the diverticulum.

*Corresponding Author (s): Sabbah Meriam, Habib Thameur Hospital, 8 Rue El Messelekh, Montfleury, 1008, Tunisia, Tunisia, Tel: +21671345000, E-mail: sabbah_meriam@yahoo.fr

Citation: Sabbah M, Congenital Gastric Diverticulum of the Fundus. Clinics of Surgery. 2020;2(4): 1.

Copyright ©2020 Sabbah M et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and build upon your work non-commercially.